

AP00.20-U-1208BD SERVICE SHEET for Mercedes-Benz Maintenance System (USA) 23.2.07

MODEL 209 except AMG models

## Passenger cars Model Year 2008



Customer:			Repair ord	ler numbe	r:			
First visit	at 1,000 - 3,000 miles		Performed	I	YES		NO	
Tire Rotation (non staggered width wheel setup only)	Performed in accordance with the tire manufacturer's recommended intervals		Tires rotat	ed	YES		NO	
Tire Inspection (staggered and non- staggered width wheel setup)	Inspect tires for damage and correct tire inflation pressure		Tires inspe	ected	YES		NO	
Current mileage reading:			Oil grade/viscosity:					
Additional notes:								
Service work to be performed as advised by completion date: Confirm work has been performed by signing below:						igning		
1st A service at 13,000 miles or 1 year, then every 26,000 miles or 2 years  1st B service at 26,000 miles or 2 years, then every 26,000 miles or 2 years								
Determine "Additional Work (check if applicable)	" needed, if any. Refer to "	Additional work" sec	tion					
once at:	13,000 mi or 1 year		every:	2 yea	ırs	]		
	39,000 mi 143,000 mi			5 yea	irs			
at either:	52,000 mi or 4 years							
	52,000 mi or 5 years							
	65,000 mi or 5 years							
	91,000 mi or 5 years							
	143,000 mi or 15 years							
i See last page for "Additio Additional flat rates apply		th ⊫≆~AP						

Completed ⊠		A-Service	O B-Service	Not OK	
<u> </u>		<u></u>	<b></b>	<b>1</b>	
	Interior				
	Reset maintenance counter in instrument cluster	×	$\otimes$		AP00.20-P-0042PIT
	Function check				
	Horn, high beam flasher, hazard warning flashers, turn signals	$\boxtimes$	$\otimes$		
	Warning/indicator lamps, illumination and interior lighting	$\boxtimes$	$\otimes$		AP54.30-P-5452C
	Windshield wipers, windshield washer system, headlamp cleaning system.	$\boxtimes$	$\otimes$		AP82.30-P-8252A
	Check seat belts for damage and proper function		$\otimes$		AP91.40-P-9150P
	Check parking brake (function test only)		$\otimes$		
1 1	Wheels, brakes				
	Check thickness of brake pads, front and rear	$\boxtimes$	$\otimes$		AP42.10-P-4253A
	Inspect tires for damage and condition	X	$\otimes$		AP40.10-P-4051Z
	Measure tread depth, enter in mm:  LF RF LR RR outside center		⊗		AP40.10-P-4051Z
	Correct tire inflation pressure and enter in bar or psi.  LF RF LR RR bar/psi:		⊗		
	Underside of vehicle				
' <u>'</u> □	Leakage - Major components Check for chafe marks, line routing, damaged components  i In the event of leakage, determine cause and perform repair via separate work order		⊗		AP00.20-P-0053BA
	Check condition of front axle ball joints and rubber boots		$\otimes$		AP33.20-P-3353BP
	Check condition of steering mechanical components and rubber boots		$\otimes$		AP46.00-P-4653F
	Engine compartment				
	Leakage - Major components Check for chafe marks, line routing, damaged components  in the event of leakage, determine cause and perform repair via separate work order		⊗		AP00.20-P-0053BA
	Check condition of poly-V-belt		$\otimes$		
	Check catch, safety catch and hinges on engine hood for proper operation.	×	$\otimes$		

Completed ⊠		A-Service $\square$	O B-Service	Not OK	
↓		<b>\</b>	<b>\</b>	1	
	Replace dust filter		$\otimes$		AP83.00-P-8381P
	Engine oil and filter change	X	$\otimes$		
	Engine 272				AP18.00-P-0101PIT
	Engine 273				AP18.00-P-0101RX
	Check fluid level, correct as required  ilf there is a loss of fluid, determine cause and perform repair via separate work order				
	Brake system	X	$\otimes$		AP42.10-P-4210Z
	Power steering		$\otimes$		AP46.00-P-4611P
	Battery, check and correct fluid level	X	$\otimes$		AP54.10-P-5410A
	Check battery condition using "Midtronics MCR 717" Tester. Attach Midtronics MCR 717 Test Report print out here.		⊗		
	Windshield washer system (incl. summer/winter cleanser)	$\boxtimes$	$\otimes$		AP82.35-P-8210P
ide	Vehicle front/rear				
	Check and correct headlamp setting		$\otimes$		AP82.10-P-8260P
	Check wiper blade condition	X	$\otimes$		AP82.30-P-8253G
	Trunk				
	Correct inflation pressure of spare tire and enter in bar or psi. bar/psi:	⊠	⊗		
	Check trunk lighting	X	$\otimes$		
	Additional Work				
Completed ⊠	Perform:	Yes		Not OK	
<b>1</b>		<b>\</b>		<u> </u>	
	Once at first service at 13,000 mi or 1 year:				
F AP □	Parking brake - Adjust cable slack				AP42.20-P-4262P
	Once at 39,000 mi:				
F AP □	Automatic transmission - oil and filter change				AP27.00-P-2702W
	At every 52,000 mi or 4 years:				
⊯ AP □	Check condition of driveshaft flex discs				AP41.10-P-4152Z
⊯°AP □	Replace air cleaner filter element				
	Engine 272				
	Engine 273				AP09.10-P-0980RX
	At every 52,000 mi or 5 years:				
F AP □	Replace activated charcoal filter (if equipped)				AP83.00-P-8382P
	At every 65,000 mi or 5 years:				
  ⊯FAP □	Replace fuel filter				AP47.20-P-0780PIT

	Completed ⊠	Perform:	Yes	Not OK	
	<b>1</b>		<b>↓</b>	<u> </u>	
	_	At every 91,000 mi or 5 years:	_		
₩₩AP		Replace spark plugs			
		Engine 273			AP15.10-P-1580RX
		Engine 272			AP15.10-P-1580PIT
	_	At every 143,000 mi or 15 years:	_		
FAP		Replace coolant (water/anticorrosion/antifreeze mixture)			
		Engine 273:			AP20.00-P-2080RX
		Engine 272:			AP20.00-P-2080PIT
		Every 2 years:			
₩FAP		Replace brake fluid			AP42.00-P-4280BP
⊯AP		Check body paint damage by service advisor			AP98.00-P-9850BA
¥AP		Check chassis and supporting body parts for damage and corrosion by service advisor			AP00.20-P-0090BA
		Every 5 years:			
⊯AP		Tilt/sliding roof: clean sliding rails and sliders			AP77.20-P-7731A
		Vehicle over 143,000 mi:			
		Check if all fluid levels and changes are updated			
₩≅AP		Transmission			
₩≅AP		Rear axle			
		Check if air, fuel, ventilation filters are updated			
FAP		Engine air filter			
⊯ÃΡ		Fuel filter			
⊯ÃΡ		Dust filter			
FAP		Activated charcoal filter (if equipped)			
		Check integrity of engine, mechanical comonents			
⊯°AΡ		Perform compression test (hot and cold) Refer to BE01.00-Z-9999AZ			
FAP		Perform leak down test (hot and cold)			AP00.20-P-0053BA
₩≅AP		Check spark plugs			
₩≅AP		Exhaust system hangers and leaks			
		Check damaged / worn drivetrain parts			
₩AP		Front wheel bearing play			
βĒΑΡ		Rear wheel bearing play			
F≆AP		Axle joint play			
⊯°AΡ		Driveshaft flexible discs			
F≆AP		Tie rod and drag link joints			